

din 17.03.2022

**TERMEN EXTINS
CERERE DE OFERTĂ
FURNIZARE PRODUSE**

Prin prezenta, Keystone Moldova, și-a propus să achiziționeze o serie de echipamente necesare în implementarea proiectului „Parteneriat transfrontalier pentru ghidarea în carieră incluzivă”, nr. 2SOFT/1.1/145, finanțat de către Uniunea Europeană în cadrul Programului Operațional Comun România-Republica Moldova 2014-2020, prin intermediul Instrumentului European de Vecinătate (ENI).

I. PRODUSE CARE FAC OBIECTUL ACHIZIȚIEI

- | | |
|--------------------------------|---------------------|
| 1. Echipament pentru traducere | 4. Laptop |
| 2. Televizor | 5. Echipament audio |
| 3. Cameră video | 6. Copiator |

II. SPECIFICAȚII TEHNICE PENTRU FIECARE ARTICOL

Lot.	Denumire articol	Cantitatea
1	Articol 1. Echipament Conferințe : Traduceri TAIDEN Sistem digital, Tehnologie IR. Consola traducător + cască (1), Consolă delegați + căști și acumulate (6), IR Receptor participanți 4Ch + căști și acumulate (20), cabluri. System Setup Management Software Module, Servicii de configurare și dare în exploatare. Alte specificații la Anexa 1	1
2	Articol 2. 4K Led TV with TV Stand 85" TV 3840x2160 UHD, SMART TV, PQI 2100Hz, DVB-T/T2/C/S2 (2), Stand Ajustabil TV (2). Alte specificații la Anexa 2	2
3	Articol 3. Training video streaming equipment with accessories 4K PTZ Camera (4), IP Camera Controller (1), Triped camere (4), Remote Control Tripied (2), Mixer video (1), Keyboard video (1), Soft Video mixare și editare(2), Monitor 12" vizionare rapidă (1), Speakerphone conferințe (1), Switch 1Gb (1) , USB Hub (1), Cabluri USB, Cabluri HDMI, Splitter HDMI 2 și 4 porturi, Cabluri Serial pentru 4K Video camere 4K. Alte specificații la Anexa 3	1
4	Articol 4. Laptop Video Streaming with accessories 15.6" FHD+ AG IPS 500nit (Intel® Core™ i7-10750H, 16GB , 1TB M.2 PCIe NVMe SSD, NVIDIA GeForce GTX 1650Ti 4GB, WiFi6 + BT, TB3, 3Cell 56Whr, FPR, Backlit KB, Win10Pro) (1), 2Tb USB3 HDD extern (1), Wireless Mouse (1), 17.0" NB Backpack(1), Docking stations (1), Keyboard Backlight (EN/RU) (1). Alte specificații la Anexa 4	1
5	Articol 5. Laptop for trainer 15.6" FHD (1920x1080) (Intel Core i5-1135G7, 16Gb, 512Gb PCIE, Intel Iris Xe Graphics, HDMI, Gbit Ethernet, 802.11ax, Bluetooth, 2x USB-C TB4 DP, 2x USB 3.2, Card Reader, IR HD Webcam, Win10Pro) (3), Wireless Mouse (3). Alte specificații la Anexa 5	3
6	Articol 6. Audio equipment with accessories 19" Rackmount Mixer Audio (1), 19" Rackmount UPS, 19" Rackmount Wireless Microfoane portabile și lavalier, 19" Rackmount Cutie mobilă (1), Mixer Audio mobil (1), Tablet 10.3" WVA FHD (1920x1080), 4Gb / 64Gb, 4G LTE, 5000mAh(1), Tablet PC stand (1), 128GB MicroSD (1), Căști Audio, Cutie pentru Acesorii și cabluri. Alte specificații la Anexa 6	1
7	Articol 7. Copiator Color A3/A4 Copiator Color A3/A4, Scanner ADF, Network printing, Duplex. Alte specificații la Anexa 7	1

Ofertantul poate depune oferta pentru un lot, sau pentru mai multe loturi.

III. RESPONSABILITĂȚI PRINCIPALE ÎN EXECUTAREA CONTRACTULUI

- 1) Furnizarea echipamentelor în concordanță cu specificațiile din propunerea tehnică;
- 2) Furnizarea echipamentelor în conformitate cu termenele de livrare stabilite între părți;
- 3) Despăgubirea achizitorului împotriva oricăror daune-interese, costuri, taxe și cheltuieli de orice natură.
- 4) Oferirea garanției în utilizare de min 12 luni pentru echipamentele care fac obiectul prezentului contract.
- 5) Furnizorul se obligă să livreze marfa la adresa Achizitorului, Chișinău, str. sf. Gheorghe 20, în termen de cel mult 30 zile de la semnarea contractului;

IV. CONȚINUT DOSAR OFERTARE

1. **Oferta tehnică**, cu includerea perioadei de garanție și termenilor de livrare, datată și semnată conform **Anexei 8**.
2. **Declarația** de eligibilitate și respectarea conflictului de interese conform **Anexei 9**.

V. CRITERIUL DE SELECȚIE OFERTE

- Criteriul de selecție, va fi „cel mai bun raport cost-calitate” condiționat de respectarea caracteristicilor minime solicitate.

VI. DOCUMENTE DE SUPORT ATAȘATE

1. Model Anexa 1 – model oferta tehnico-financiară
2. Model Anexa 2 - declarația privind eligibilitatea și respectarea conflictului de interese

VII. INSTRUCȚIUNI DEPUNERE OFERTĂ

Oferta tehnico-financiară, însoțită de documentele de suport de mai sus, trebuie semnate și transmise pe mail dcutulab@khs.org până la data de 27.03.2022, ora 18.00

Notă: Orice ofertă primită după termenul limită de depunere a ofertelor stabilit în solicitarea de ofertă sau la altă adresă decât cea indicată mai sus nu va fi evaluată de către achizitor.

Notă: Nu se admite retragerea sau modificarea ofertei după termenul limită de depunere a ofertelor.

Analiza ofertelor va avea loc la sediul Keystone Moldova, în data de 28.03.2022, începând cu ora 10.00.

Alte informații sau clarificări pot fi obținute printr-o solicitare scrisă trimisă prin e-mail: dcutulab@khs.org sau la telefon 068208202, persoană de contact - Doina Cuțulab

- Data limită de primire a solicitărilor de clarificări: 25.03.2022, ora 13:00
- Data limită de transmitere a răspunsului la clarificări: 25.03.2021, ora 17.00

Vă mulțumim!

Anexa 1 / LOT 1

Nr. or.	Descriere	Cantitate
Lot 1 : Echipament Conferințe : Traduceri TAIDEN		
1	TAIDEN HCS-5301D_G/80 Digital IR Wireless Delegate Unit (discussion, 1+7CHs, 2 channel selectors, dual predefined positions, cooperates with HCS-5100PLus series can be achieve 8 CHs simultaneous audio, charcoal gray - Lithium Rechargeable Battery Pack - MS33EGA1B Stem Microphone"	11
2	TAIDEN HCS-5100PA Headphone	41
3	TAIDEN HCS-5300TD_S/80 Digital Infrared Transceiver (ceiling, wall or tripod-mounted, excl. tripod when ordered, suitable for ceiling height less than 6m, silver)	1
4	TAIDEN HCS-5300TZJ2 Transceiver Stand	1
5	TAIDEN CBL5300-20 Cable 20m Dedicated Transceiver Cable	1
6	TAIDEN HCS-4385U/50 Fully Digital Congress System Interpreter Unit (64 CHs, IC-Card, 256x64 LCD, incl. MS33EGF1S Stem Microphone, loudspeaker)	2
7	TAIDEN CBL6PS-20, 20m 6-pin Extension Cable (with a plug and a socket)	2
8	TAIDEN EP-960AH Interpreter headset (stereo, for HCS-4385U/50, with Detachable Earshells, w/o Sponge Ear Pads)	2
9	Taiden EP-960SP-S Sponge Ear Pads for EP-960 (Diametr 58 mm, For EP-960AH, 10 pair/package)	1
10	TAIDEN HCS-5100R/04F 4 CHs Digital Infrared Receiver (LCD, language display, incl. rechargeable battery pack, black)	20
11	Servicii de configurare si dare in exploatare	1

Anexa 2. Lot 2.

Nr. or.	Descriere	Cantitate
Lot 2 : 4K Led TV with TV Stand		
1	Televizor LED SMART TV Diagonala ecranului: 85", Rezolutia ecranului: 3840 x 2160 UHD, Adâncime culori: 10 bits (8 bits+FRC), Formate: HDR, HDR10+, Rata frecvenței: 60 Hz, Viteză de procesare: PQI 2100, Telecomanda cu infraroșu, HDMI CEC, Terminal de conectivitate, Intrări HDMI – 3, HDMI ARC (Audio Return Channel), CI Slot, Wi-Fi Direct, Rețea Ethernet, Intrare antenă: 1x (RF), Bluetooth 4.2, Ieșire Audio Optică	2
2	Stand Ajustabil TV Tip: Stand mobil, Dimensiune TV: de la 43" la 100", Ajustare tip Fixat, Culoare: Negru, Sarcina max 90 Kg, Accesorii Holder pentru video cameră, Roți pentru mobilitate	2

Anexa 3. Lot 3.

Nr. or.	Descriere	Cantitate
	Lot 3 : Training video streaming equipment with accessories	
1	<p>IP Camera 4K with PTZ funcions</p> <p>4K PTZ camera with HDMI and PoE, Quiet, smooth, long-lasting PAN-TILT-ZOOM motor for high-quality transitions, HDBaseT (uncompressed), Can be mounted on table, wall or ceiling, HDMI outputs, Compatible with integrated video conferencing systems (VISCA/PELCO), Tally light on camera front, Sensor: 1/2.3" 9MP CMOS, Video output: 3840 x 160 p @ 29.97 / 25 fps / 1920 x 1080 p @59.94 / 50 fps / 1920 x 1080i @ 59.94 / 50 fps / 1280 x 720 p @59.94 / 50 fps / NTSC / PAL, Optical zoom: x12, Clear Image Zoom: 1.67 x (4K: 20 x) / 2.0 (1080p: 24 x), Digital zoom: x12, Video Output Interface: HDBaseT, HDMI simultaneous, Horizontal viewing angle: 74° widest, Tilt angle: -170° to +170°, Tilt angle: -30° to +170°, 128 Preset positions storable, Pan speed: 300°/s, Tilt speed: 300°/s, Video S/N Ratio: > 50 dB, Shutter speed: 1/1 to 1/10000 s, Focal length: f = 3.9 to 46.8 mm, Aperture: F1.8 - F2.0, PoH (PoE via Cat6.e): Yes (IEEE802.3af), Camera control interface: RS-232 / RS-422, Camera control protocol: VISCA / PELCO D, Minimum illumination: 3.0 lux (F1.8, 50 IRE, 30 fps), minimum object distance (MOD): 10mm (wide) ~ 1500 mm (tele), Gain Control: Auto / manual, White balance: Auto, indoor, outdoor, one-push, manual, Exposure control: Auto / manual, Focus System: Auto / manual, Image Flip / Joystick Flip: Yes, 3D NR: Yes, Dimensions (H x W): 187 x 174 mm, Weight: 2.0 kg</p>	4
2	<p>Camera Controller for IP Camera 4K PTZ command</p> <p>4D joystick allows simultaneous control of pan, tilt, zoom and focus, 128 Preset positions, One-touch control of Brightness, Back Light, Mirror/Flip and Freeze Capture Full duplex RS-232 / RS-422 interface, Supports VISCA and PELCO protocols, Bright OLED display with auto backlight buttons, Can handle 1 to 255 cameras (CV620), Multi-level protection against unauthorized operation, Compatible with: Compatible 4K, Power supply: DC 12 V, Power consumption: < 2 W, Dimensions (W x D x H): 200 x 120 x 103 mm, Weight: 0.5 kg</p>	1
3	<p>Aluminium Tripod</p> <p>Air damped aluminium stand with 4 sections 3 Pull-outs (Ø 35, 30, 25, 20 mm) Feet Ø: 22 mm Min. height: 124 cm Max. height: 366 cm Transport length: 107 cm Stand area: 106 cm Max. load-bearing capacity: 9.0 kg Weight: 2.15 kg Mount: Type 19 + Manfrotto 015 Adapter Colour: Black</p>	4
4	Triped Sony VCT-VPR10	2
5	Blackmagic Design DaVinci Resolve Studio Editor Software License key Dongle	2
6	Blackmagic Design DaVinci Resolve Speed Editor Software License key	1
7	Blackmagic Design ATEM Mini Pro ISO	1
8	Walimex pro Full HD Monitor Director III	1
9	Desk Microphone Stand With 3/8 "	1

	Quick-release fasteners for height adjustment Three retractable feet Height: 240 - 450 mm Weight: 0.4 kg Colour: Black	
10	Speakerphone with microphone Jabra Speak 710 MS	1
11	8-port Gigabit Managed PoE+ Switch, TP-LINK "T2500G-10MPS", 2x1Gbps SFP	1
12	Direct Attach Cable 1M, QSFP+ 40G Cisco Meraki Compatible	1
13	USB Hub 4x Port 3.1 with USB-C Adapter, Black	1
14	Cable Cablexpert UAE-01-5M / 5M / Active / Black	2
15	Cable Gembird UAE-01-10M / 10M / Active / Black	2
16	USB-C Multi-Port Docking Station Aluminium 10-in-1 Stylish aluminium 10-in-1 USB-C multi-port docking station Add extra HDMI, network, card reader, USB-C and USB-A ports to your laptop or tablet using a single USB-C port HDMI port with 4K Ultra HD output for connecting a monitor or TV Network port with support for fast Gigabit Ethernet Card reader with slots for SD and microSD cards USB-C PD port for charging the laptop with up to 60W of power	1
17	Splitter HDMI 2 ports HDMI splitter, 2 ports, 1 input, 2 output HDMI receptacles, 19 pin (A), HDMI + HDCP v.1.4 (compatible with all HDMI versions)	1
18	Splitter HDMI 4 ports HDMI splitter, 4 ports, 1 input, 4 output HDMI receptacles, 19 pin (A), HDMI + HDCP v.1.4 (compatible with all HDMI versions)	1
19	Cable HDMI (4K) - 5m	4
20	Cable HDMI (4K) - 10m	4
21	Cable RS-232 CV620-CABLE-06	1
22	Cable RS-232 CV620-CABLE-07	4
23	Cable Ethernet КПВЭ-ВП 4x2x0,51 (FTP-5E) (305) Cable FTP Cat.5e outdoor cable, 24AWG 4X2X1/0.50 COPPER, double jacket, APC Electronic, 305m	1
24	Connector RG-45 SFTP	10
25	Patch Cord Cat.6/FTP, 0.5m Gray	2
26	Patch Cord Cat.6/FTP, 1 m, Gray	4
27	Patch Cord Cat.6/FTP, 7.5m, Gray	4
28	Patch Cord Cat.6/FTP, 10m, Gray	4
29	Patch Cord Cat.6/FTP, 20m, Gray	4

Anexa 4. Lot 4.

Nr. or.	Descriere	Cantitate
Lot 4 : Laptop Video Streaming with accessories		
1	Laptop 15.6" InfinityEdge FHD+ AG IPS 500nit (Intel® Core™ i7-10750H, 16GB (2X8Gb) DDR4, 1TB M.2 PCIe NVMe SSD, NVIDIA GeForce GTX 1650Ti 4GB, WiFi6 2x2 + BT, TB3, 3Cell 56Whr, FPR, Backlit KB, Win10Pro, 2kg)	1
2	Portable SSD 2.0TB (USB3.2/Type-C), Grey (85x57x8mm, 58g, embedded PCIe® NVMe™ technology facilitates sequential read/write speeds of up to 1,050/1,000 MB/s)	1
3	Silent Mouse Wireless Multi-Device Silen, 7 buttons, 1000 dpi, EFFORTLESS MULTI-COMPUTER WORKFLOW, Graphite Tonal	1
4	17.0" NB Backpack (same Brand with Laptop)	1
5	Docking Stations (same Brand with Laptop), 130W - USB-C 3.1 Gen 2, USB-A 3.1 Gen 1 with PowerShare, Display Port 1.4 x 2, HDMI 2.0b, USB-C Multifunction Display Port, Dual USB-A 3.1 Gen 1, Gigabit Ethernet RJ45	1
6	Monitor 23.8" (same Brand with Laptop), Black, IPS, 1920x1080, 75Hz, 5ms, 250cd, CR1000:1, D-sub + HDMI + DP + USB, Pivot	1
7	Mouse Wired Laser Black (same Brand with Laptop)	1
8	RGB Membrane Gaming Keyboard (RU), Backlight (RGB), Quiet, Responsive keys with anti-ghosting functionality, Spill resistant, Key rollover: 6-key / N-key modes, Durable, solid frame, Convenient USB charge port, USB	1

Anexa 5. Lot 5.

Nr. or.	Descriere	Cantitate
Lot 5 : Laptop for trainer		
1	Laptop 15.6" WVA FHD (1920x1080) Anti-glare, Intel Core i5-1135G7 (4x Core, 2.4GHz - 4.2GHz, 8Mb), 16Gb (2x 8Gb) PC4-25600, 512Gb PCIE, Intel Iris Xe Graphics, HDMI, Gbit Ethernet, 802.11ax, Bluetooth, 2x USB-C TB4 DP, 2x USB 3.2, Card Reader, IR HD Webcam, Win10 Pro , 4-cell 63Wh Battery, Illuminated Keyboard, 1.59kg, Gray	3
2	Mouse Wireless Multi-Device (same Brand with Laptop), Titan grey, Wireless - 2.4 GHz, Bluetooth 5.0, Optical, 1600 dpi, 1 x AA Battery, 3 years Advanced Exchange	3

Anexa 6. Lot 6.

Nr. or.	Descriere	Cantitate
Lot 6 : Audio equipment with accessories		
1	19" Rack Digital Mixer Professional Behringer X32 Rack 32 Channels, 16 XLR Mic/Line inputs, 8 Stereo FX returns, 25 Buses, 6 Matrix buses with insert, 6 Mute groups, 8 DCA groups, 8 XLR outputs, 6 AUX inputs via 6.3 mm jack (optional: 2 via RCA), 6 AUX outputs via 6.3 mm jack (optional: 2 via RCA), Adjustable headphone jack, 32 x 32 USB audio interface, Talkback microphone input (XLR) 4-Band fully parametric EQ on each channel, Adjustable delays on all channels Virtual effects rack with 8 FX slots, Built-in stereo USB recorder Remote control via Ethernet, 5" TFT display, Compatible with the Behringer P-16 personal monitoring system, Format: 19" / 3U, Dimensions: 132 x 483 x 287 mm, Weight: 6.5 kg	1
2	19" Rack Mounting UPS 2U, 2200VA/1980W, 9 x IEC Sockets (8 IEC C13, 1 IEC C19 all 9 Battery Backup + Surge Protected), LCD Display, PowerChute USB / Serial Port , Network Management Card	1
3	19" Rack Surge Protector, With illuminated switch, 8 Sockets on the back, Installation depth: 54 mm, Cable length: 2 m, Height: 1 U, Colour: Black	1
4	19" Rack Dual UHF wireless system (LD Systems U508 BPHH2) 2 Pocket transmitters and 2 MH3 condenser headset microphones in the colour beige Directional characteristic: cardioid 19", 1U true diversity receiver 96 channels in 8 groups of 12 channels Frequency range: 60 - 16,000 Hz Switchable transmitter power (2mW, 10 mW, 30 mW) Frequency scan in the receiver Automatic frequency scan with infrared transmission of the settings from the receiver to the transmitter Pilot tone Bright OLED display Adjustable 6.3 mm headphone output Transmitter operates with 2 AA batteries or rechargeable batteries Frequency band: 823-832 MHz and 863-865 MHz XLR and jack output per channel XLR jack mix out Operates with a 13.5V DC power supply, 1000mA	2
5	19" Rack Dual UHF Wireless System (LD Systems U508 HHC2) With 2 Microphone Condenser exchange capsule Polar pattern: cardioid 19" / 1U true diversity receiver 96 channels into 8 groups of 12 channels a Audio Frequency Response: 60 - 16000 Hz Switchable transmission power (2 mW, 10 mW, 30 mW) Frequency scanning in the receiver Automatic frequency scanning with infrared transmission setting from the receiver to the transmitter Pilot tone Bright OLED display Adjustable 6.3 mm headphone output	1

	Transmitter works with 2x AA batteries Frequency band 823-832 MHz and 863-865 MHz XLR and jack output per channel XLR Jack Mix Out Operating at 13.5 V DC power supply 1000 mA	
6	Table Stand for Microphone For microphones Height: 15 - 20 cm Weight: 0.4 Kg Colour: Nickel / black Including micro-clamp	2
7	Headset microphone with connector 3,5 mm Light condenser headset microphone With two earsets Left/right adjustable Size adjustable Characteristic: Omnidirectional Frequency range: 50 - 20,000 Hz Sensitivity: 3.8 mV / Pa, -48.5 dB re 1 V / Pa Max. SPL: 115 dB Impedance: 750 Ohm Sennheiser EW connector Cable length: Approx. 120 cm Colour: Beige / Skin coloured Incl. Cable clip	2
8	19" Rack Mobil : Flyht Pro L-Rack 6U/7U SF Laptop	1
9	Digital Mixer Behringer X Air XR18 Bag Bundle 1x Behringer X Air XR18 (352195) 1x Thomann Bag for X Air XR18 (466438)	1
10	Professional Headset Behringer HPX4000	2
11	Mixer for Streaming USB 2.0 audio interface / mixer for Livestreamer 24 Bit / 48 kHz AD/DA converter Integrated MIDAS preamplifier Creates multiple virtual USB audio devices for most applications to Change the volume of the applications independently of each other Integrated EQ, compressor and gate 4 Faders Mute button for each channel Microphone mute button Phantom power switchable via app +24 V Power supply via USB 2.0 System requirements: Windows 7 or newer Dimensions (W x H x D): 132 x 70 x 168 mm Weight: 680 g Includes USB cable and GoXLR Mini App to control RGB LEDs, audio routing and mute function	2
12	Line-interactive UPS with AVR, 1000VA /510W, 6 x Schuko outlets (3 backed up, all 6 surge protected), LED status indication,Black	1
13	Surge Protector 4 outlets, 1 meter power cord, 230V, Black	1
14	Surge Protector 3 Sockets, 5 m, BLACK	1

15	Surge Protector 5 Sockets, 5 m, White	4
16	Transport case Peli 1650-000-110 Shockproof, Waterproof, Oil and grease resistant Pressure Equalization Valve - Balances the pressure in the case, prevents water from entering, O-ring seal, Hardware and padlock protection made of stainless steel, Strong polyurethane wheels with stainless steel bearings, Inside dimensions: 72.2 x 44.2 x 27 cm, External dimensions: 80.1 x 52.1 x 31.7 cm, Weight 12.73 kg (with foam), Colour: Black	1
17	Tabletă FHD Plus 2nd Gen (TB-X606X) Grey (10.3" Helio P22T 4Gb 64Gb) LTE 10.3" WVA FHD (1920x1080) 330nits, MediaTek Helio P22T 8-Core 2.3GHz, 4Gb, 64Gb, 802.11ac + Bluetooth, 4G LTE Single Nano-SIM, GPS, micro SD Reader up to 256Gb, 5MP Front Camera, 8MP Rear Camera, Android 9, 5000mAh, 460g, Iron Grey	1
18	128GB MicroSD (Class 10) UHS-I (U3)+SD adapter, (R/W:100/60MB/s)	1
19	Stand Tablet PC - Tischstativ	1
20	Coaxial Cable (m)	20
21	BNC connector	4
22	Audio Cablu dublu ecranat	50
23	Connector XLR-M	10
24	Connector XLR-M (90 Angle)	10
25	Connecrot XLR-F Wall Mounted	10
26	Connector 3,5 mm (90 Angle)	8
27	Connector 3,5 mm (90 Angle)	8
28	Speaker Stand	2
29	Cablu 3.5 mm jack plug Black	4

Anexa 7. Lot 7.

Nr. or.	Descriere	Cantitate
Lot 7 : Copiator Color A3/A4		
1	<p>Copiator color A3 / A4 (Reverse document feeder, Dual scan document feeder, Masa copiator, Tonere tip Tub, Developare unități, LAN)</p> <p>Viteza copiere A4 (mono/color): pana la 25 ppm</p> <p>Viteza copiere A3 (mono/color): pana la 15 ppm</p> <p>Viteza duplex automat A4 (mono/color) : pana la 25 ppm</p> <p>Rezoluție copiere 600 x 600 dpi</p> <p>Specificații ADF / DF-714</p> <p>Alimentator Documente Dual Scan</p> <p>35 - 163 g/m² (Simplex) / 50 – 163 g/m² (Duplex) /50 – 128 g/m² (mix)</p> <p>100 coli 80 g/mp A4.</p> <p>Viteza Copiere Alimentator ADF / DF-714</p> <p>Simpla fata - 55 opm Alb-Negru & Color 600 dpi</p> <p>Fata Verso - 110 opm Alb-Negru & Color 600 dpi</p> <p>Specificații ADF / DF-632</p> <p>Alimentator Automat Documente</p> <p>35 - 128 g/m² (Simplex) / 50 – 128 g/m² (Duplex)</p> <p>100 coli 80 g/mp A4.</p> <p>Viteza Copiator ADF / DF-632</p> <p>Simpla fata - 55 opm Alb-Negru & Color 600 dpi</p> <p>Fata Verso - 26 opm Alb-Negru & Color 600 dpi</p> <p>Gradație: 256 gradații</p> <p>Zoom 25 – 400 % ajustabil in pași de 0,1 %, Autozoom Suporturi de copiere*</p> <p>Hârtie normala, hârtie reciclată, hârtie groasa, transparente, plicuri, OHP, hârtie banner</p> <p>Ajustarea densității Automat, Manual (9 pași)</p> <p>Memorie RAM 8192 MB</p> <p>Greutate medie Tavile 1-4: 52 - 256 g/mp</p> <p>Bypass: 60 - 300 g/mp</p> <p>150 coli (A6 - SRA3 / 320 x 457 mm), Suporta hârtie tip banner (297-1.200 mm)</p> <p>Rezoluție printare 1800 x 600 dpi, 1200 x 1200 dpi</p> <p>Limba de printare Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c</p> <p>Drivere Windows 7/8, Windows Server 2008 R2 64bit/Server 2008 32/64bit/, Server 2012, Mac OS X 10.4/10.5.x/10.6.x, Unix, Linux</p> <p>Porturi USB 2.0 (utilizat de asemenea pentru actualizare de Firmware)</p> <p>Procesor AMD GX-424CC @ 2.4 GHz</p> <p>Interfața Rețea Rețea 10Base-T / 100Base-T/1000Base-T</p> <p>Masa copiator. Spațiu depozitare hârtie.</p>	1
2	Contract de deservire tehnica	1

ANEXA 8

OFERTA TEHNICO-FINANCIARĂ

Către **Keystone Moldova**, Examinând documentația standard pentru elaborarea și prezentarea ofertei, subsemnatul _____ (nume Ofertant), ne oferim să prestăm _____ (denumire serviciu), pentru suma _____ MDL cu TVA inclus și pentru suma _____ MDL la cota TVA zero %, respectând următoarele cerințe:

Denumire produs	Specificații tehnice	Cantitatea	Preț unitar MDL la cota TVA 0%	Preț total MDL la cota TVA 0%	Termen de livrare	Perioada de garanție
TOTAL						

Data completării

Ofertant, _____

(semnătura autorizată)

ANEXA 9

DECLARAȚIE PRIVIND ELIGIBILITATEA ȘI RESPECTAREA CONFLICTULUI DE INTERESE

Subsemnatul, reprezentant legal al _____,

(denumirea/numele și sediul/adresa ofertantului)

declar pe propria răspundere, sub sancțiunea excluderii din concurs / atribuire contact, că am luat toate măsurile necesare pentru a evita situațiile de natură să determine apariția unui conflict de interese și nu mă aflu în niciuna din situațiile prevăzute la art. 79 din Legea nr. 131 din 03.07.2015 privind achizițiile publice.

Subsemnatul, declar că informațiile furnizate sunt complete și corecte în fiecare detaliu și înțeleg că autoritatea contractantă are dreptul de a solicita, în scopul verificării și confirmării declarațiilor orice documente doveditoare de care dispunem.

Data completării

Ofertant,

(semnătura autorizată)